

**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**



Australia's leading  
**LED Luminaries range**

Tel: 02-4732 5444  
 email: sales@nslight.com.au

15 Coombes Drive, Penrith, NSW, 2750 Australia



<b>MR16 Platinum Range - non-dimmable</b>				
<b>nls Code</b>	<b>LED 12 Volt MR16 Down Light Kits, lamps and Drivers</b>	<b>Inner</b>	<b>Outer</b>	
20310NLS	10W Gimble White Kit - 90mm cut-out - Hardwire (3000K)	1	50	
20311NLS	10W Gimble White Kit - 90mm cut-out - W/Flex & Plug (3000K)	1	50	
<b>LED 12Volt Drivers for MR16 (Slim-line)</b>				
40041NLS	6W LED Driver - Hardwire	20	100	
40044NLS	6W LED Driver - W/Flex & Plug	20	100	
40042NLS	10W LED Driver - Hardwire	20	100	
40045NLS	10W LED Driver - W/Flex & Plug	20	100	
<b>LED 12Volt Drivers for MR16 (Larger terminals)</b>				
40050NLS	12W LED Driver - Hardwire	20	100	
40048NLS	12W LED Driver - W/Flex & Plug	20	100	
TBA	18W LED Driver - Hardwire	20	100	



<b>LED GU10 Kits - Lamp &amp; Fitting</b>				
20298NLS	10W Fixed Twist Lock White Kit - 70mm Cut-out (Daylight lamp)	1	50	
20308NLS	10W Fixed Twist Lock White Kit - 70mm Cut-out (Warm White lamp)	1	50	
20299NLS	10W Fixed Twist Lock <b>Satin Nick</b> - 70mm Cut-out (Daylight lamp)	1	50	
20309NLS	10W Gimble White Kit - 90mm cut-out (Warm White lamp)	1	50	
20301NLS	10W Gimble <b>Satin Nic</b> Kit - 90mm cut-out (Daylight lamp)	1	50	
<b>GU10 Accessories</b>				
20195NLS	GU10 lamp holder assembly	10	100	
40037NLS	1.2Mtr Flex & Plug 3 pin - Grey - Flat flex, bootlace ends - 0.75mm	10	100	



**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**



<b>GU10 Gold Range - Kits</b>		Inner	Outer	
<b>LED 240 Volt GU10 Down Light Kits</b>				
20323NLS	10W Fixed Twist Lock White Kit - 70mm Cut-out (Daylight lamp)	5	50	
20324NLS	10W Gamble White Kit - 90mm Cut-out (Daylight lamp)	5	50	
<b>GU10 Silver Range - Kits</b>				
<b>LED 240 Volt GU10 Down Light Kits</b>				
20266NLS	10W Gimble White Kit - 90mm Cut-out (Warm White Lamp) 3000°K	5	50	
20267NLS	10W Gimble White Kit - 90mm Cut-out (Daylight Lamp) 6500°K	5	50	
20134NLS	10W Gimble <b>Satin Nic</b> Kit - 90mm Cut-out (Daylight Lamp) 6500°K	5	50	
<b>Built to Last in Australian conditions</b>				
<b>"We only use high quality casings and componentry"</b>		Inner	Outer	
<b>Platinum Range Flood Lights- 50,000hrs</b>				
<b>Project LED - Metallic finish</b>				
20093NLS	24W = 150W Warm White 3000°K - IP65 - Black finish	1	8	
20316NLS	24W = 150W Daylight 6500°K - IP65 - Black finish	1	8	
20129NLS	24W = 150W Daylight 6500°K - IP65 - <b>Silver finish</b>	1	8	
20105NLS	34W = 150W Warm White 3000°K - IP65 - Black finish	1	4	
20322NLS	34W = 150W Daylight 6500°K - IP65 - Black finish	1	4	
20335NLS	54W = 350W Warm White 3000°K - IP65 - Black finish	1	4	
20317NLS	54W = 350W Daylight 6500°K - IP65 - Black finish	1	4	
20325NLS	84W = 500W Daylight 6500°K - IP65 - Black finish	1	3	
20326NLS	104W = 600W Daylight 6500°K - IP65 - Black finish (= 250W MH)	1	2	
20100NLS	154W = 1000W Daylight 6500°K - IP65 - Black finish (= 350W MH)	1	2	
20088NLS	204W = 1200W Daylight 6500°K - IP65 - Black finish (= 400W MH) ®	1	1	



NationalNLS®



**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**





<b>Platinum Range Flood Lights- 50,000hrs</b>			
<b>Project LED - Metallic finish- With Sensor</b>			
20121NLS	24W = 150W Daylight 6500°K - IP65 - Black finish - <b>With Sensor</b>	1	8
20125NLS	34W = 150W Daylight 6500°K - IP65 - Black finish - <b>With Sensor</b>	1	4
<b>Silver Range Flood Lights IP65</b>			
20333NLS	20W Daylight 6500°K	1	8
20348NLS	30W Daylight 6500°K	1	4
20371NLS	50W Daylight 6500°K	1	4
<b>WeatherX Flood Lights IP65 - Slimline</b>			
20372NLS	20W WeatherX Daylight 6500°K	1	20
20373NLS	30W WeatherX Daylight 6500°K	1	10
20374NLS	50W WeatherX Daylight 6500°K	1	7
20375NLS	70W WeatherX Daylight 6500°K	1	5
20376NLS	100W WeatherX Daylight 6500°K	1	5
20377NLS	150W WeatherX Daylight 6500°K	1	2
20387NLS	200W WeatherX Daylight 6500°K	1	1
20388NLS	250W WeatherX Daylight 6500°K	1	1
20389NLS	300W WeatherX Daylight 6500°K	1	1
20390NLS	400W WeatherX Daylight 6500°K	1	1
<b>"SECURITY" PIR Spot Light Sensors</b>			
20413NLS	15Watt 1Lt with Sensor - Daylight 6500K	1	10
20416NLS	15Watt 1Lt without Sensor - Daylight 6500K	1	10
20414NLS	2x15Watt 2Lt with Sensor - Daylight 6500K	1	10
20415NLS	2x15Watt 2Lt without Sensor - Daylight 6500K	1	10
<b>"FORTITUDE" IP65 Slimline SMD Batten</b>			
20201NLS	20W SMD 2835 - 2400lm - size: 625mm x 63mm x 57mm	1	8
20200NLS	36W SMD 2835 - 4400lm - size: 1225mm x 63mm x 57mm	1	8
<b>Stainless Steel mounting clips, just clip on</b>			
<b>Supplied with Flex &amp; Plug option for easy installation</b>			
<b>Light up - Roof space, Under house, BBQ area's, under Eaves, etc</b>			



**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**




<b>"INSIGNIA" - Weatherproof LED Tube Fittings- IP65</b>			
<b>Premium Heavy Duty - Wide Body Series</b>			
20407NLS	1x10W LED Weather-proof with S/S Clips - 670x98x95mm	1	6
20409NLS	2x10W LED Weather-proof with S/S Clips - 670x156x95mm	1	4
20411NLS	1x28W LED Weather-proof with S/S Clips - 1270x98x95mm	1	6
20183NLS	2x18W LED Weather-proof with S/S Clips - 1270x98x95mm	1	4
<b>Available with Emergency packs</b>			
<b>"SIBERIA" - Weatherproof LED SMD Fittings- IP65</b>			
<b>Premium Heavy Duty - Wide Body Series</b>			
20241NLS	20W SMD 650x135x95mm - 5000K - 2400lms - Opal Diffuser	1	4
20288NLS	20W SMD 650x135x95mm - 5000K - <b>With Microwave Sensor</b>	1	4
20245NLS	40W SMD 650x135x95mm - 5000K - 4800lms - Opal Diffuser	1	4
20289NLS	40W SMD 650x135x95mm - 5000K - <b>With Microwave Sensor</b>	1	4
<b>Suitable for underground Car Parks, Walk ways, Entry way, etc</b>			
<b>"WHITESTONE" LED Shop-Lighter</b>			
20104NLS	36W 6500°K with 1.5mtr Flex & Plug - Rectangle, White Frame	4	20
<b>Cut-out 227x132mm - Overall size: 235x148x90mm</b>			
<b>"YETI" Range</b>			
<b>"YETI" LED "All in One" Down Light</b>		Inner	Outer
20354NLS	7W <b>CTC</b> - Cut-out 70mm - <b>Dimmable</b> - White	5	50
20294NLS	Satin Nickel Rim to suit above - <b>Simply attaches</b> (Stainless steel look)	10	100
20402NLS	10W 3000°K Warm White - Cut-out 90mm - <b>Dimmable</b> - (White)	5	50
20403NLS	10W 4000°K Cool White - Cut-out 90mm - <b>Dimmable</b> - (White)	5	50
20404NLS	10W 6500°K Daylight - Cut-out 90mm - <b>Dimmable</b> - (White)	5	50
20111NLS	10W <b>CTC</b> 3/4/6500K/Switch - Cut-out 90mm <b>Dimmable</b> - Flat Face	5	50
20114NLS	10W <b>CTC</b> 3/4/6500K/Switch - Cut-out 90mm <b>Dimmable</b> - Recessed	5	50
20107NLS	Satin Nickel Rim to suit above - <b>Simply attaches</b> (Stainless steel look)	10	100
20392NLS	Gold Rim to suit above - <b>Simply attaches</b>	10	100
20391NLS	Black Rim to suit above - <b>Simply attaches</b> (Metallic look)	10	100
20367NLS	Black Rim to suit above - <b>Simply attaches</b> (Matte black)	10	100
<b>Larger sizes</b>			
20224NLS	15W 6500°K Daylight - Cut-out 110-120mm - <b>Dimmable</b> - (White)	10	40
20224NLS	15W <b>CTC</b> 3/4/6500K - Cut-out 110-120mm - <b>Dimmable</b> - (White)	10	40
20405NLS	20W <b>CTC</b> 3/4/6500K - Cut-out 150mm <b>Dimmable</b> (White)	10	20



**NationalNLS®**

**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**



<b>"IBIS" Range</b>				
<b>LED 2 piece Down Light with Driver, flex &amp; plug (Low Profile)</b>				
20353NLS	10W <b>CTC</b> - Cut-out 70mm - <b>Dimmable</b> - (White)	4	40	
20357NLS	10W 3000°K Warm White - Cut-out 70mm - <b>Dimmable</b> - (Sat Nic)	4	40	
20358NLS	10W 6500°K Daylight - Cut-out 70mm - <b>Dimmable</b> - (Sat Nic)	4	40	
<b>LED 2 piece Down Light with Driver, flex &amp; plug (Low Profile)</b>				
20272NLS	10W 4000°K Cool White - Cut-out 90mm - <b>Dimmable</b> (White)	4	40	
20273NLS	10W 6500°K Daylight - Cut-out 90mm - <b>Dimmable</b> (White)	4	40	
20084NLS	13W 3000°K Warm White - Cut-out 90mm - <b>Non Dimmable</b> - (White)	4	40	
20090NLS	13W - <b>CTC</b> - Cut-out 90mm - <b>Dimmable</b> - (White)	4	40	
20089NLS	15W 3000°K Warm White - Cut-out 90mm - <b>Non Dimmable</b> - (White)	4	40	
20094NLS	13W 3000°K Warm White - Cut-out 90mm - <b>Dimmable</b> - (White)	4	40	
20095NLS	13W 6500°K Daylight - Cut-out 90mm - <b>Dimmable</b> - (White)	4	40	
20171NLS	13W 3000°K Warm White - Cut-out 90mm - <b>Dimmable</b> (Satin Nic)	4	40	
20172NLS	13W 6500°K Daylight - Cut-out 90mm - <b>Dimmable</b> (Satin Nic)	4	40	
20096NLS	15W 3000°K Warm White - Cut-out 90mm - <b>Dimmable</b> - (White)	4	40	
20097NLS	15W 6500°K Daylight - Cut-out 90mm - <b>Dimmable</b> - (White)	4	40	
20098NLS	15W 3000°K Warm White - Cut-out 90mm - <b>Dimmable</b> (Satin Nic)	4	40	
20099NLS	15W 6500°K Daylight - Cut-out 90mm - <b>Dimmable</b> (Satin Nic)	4	40	
<b>"AVIATOR" LED Gimble Style Adjustable - COB</b>		Inner	Outer	
20393NLS	12W 3000°K Warm White - Cut-out 90mm - <b>Dimmable</b> - White	5	40	
20394NLS	12W 4000°K Cool White - Cut-out 90mm - <b>Dimmable</b> - White	5	40	
20395NLS	12W 6500°K Daylight - Cut-out 90mm - <b>Dimmable</b> - White	5	40	
<i>Where light direction is required</i>				
<b>Wi-Fi Down Light - CTC - Dimmable</b>				
20112NLS	13W Wi-Fi Colour Temperature Change 3/4/6K - Cut-out 90mm	4	40	
20113NLS	Remote Control - Temp change - Dimmable, etc	1	10	
<b>Commercial Downlights</b>				
20077NLS	20W - White Frame - 3000°K WW - 196x63mm, with Flex & Plug	1	10	
20079NLS	20W - White Frame - 4000°K CW - 196x63mm, with Flex & Plug	1	10	
20080NLS	20W - White Frame - 6500°K DL - 196x63mm, with Flex & Plug	1	10	
<i>Cut-out 170mm - 1800 lms</i>				




**NationalNLS®**



**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**





20013NLS	30W - White Frame - 3000°K WW - 242x63mm, with Flex & Plug	1	10	
20187NLS	30W - White Frame - 4000°K CW - 242x63mm, with Flex & Plug	1	10	
20074NLS	30W - White Frame - 6500°K DL - 242x63mm, with Flex & Plug	1	10	
	<b>Cut-out 210mm - 2400 lms</b>			
	<b>"SHOWCASE"</b>			
20320NLS	40W - White Frame - <b>CTC</b> - with Flex & Plug	1	10	
	<b>Cut-out 230mm - 4000lms</b>			
	 TRI COLOUR			
<b>nls Code</b>	<b>"OPAL" LED OYSTERS</b>	<b>Inner</b>	<b>Outer</b>	
20342NLS	18W 30cm LED Oyster - 1450lms - <b>With Microwave Sensor</b>	1	5	
20343NLS	18W 30cm LED Oyster 4000°K - 1450lms	1	5	
20344NLS	18W 30cm LED Oyster 6500°K - 1450lms <b>or CTC</b>	1	5	
20345NLS	28W 40cm LED Oyster 3000°K - 2250lms	1	5	
20346NLS	28W 40cm LED Oyster 4000°K - 2250lms	1	5	
20347NLS	28W 40cm LED Oyster 6500°K - 2250lms <b>or CTC</b>	1	5	
	<b>CTC 3/4/6500K Oysters also available</b>			
	<b>"DISCUS" LED OYSTERS - Slimline</b>			
20008NLS	15W 200mm dia - <b>CTC/3K/4K/6500K - Dimmable</b> - 1650lms	1	10	
20157NLS	25W 300mm dia - <b>CTC/3K/4K/6500K - Dimmable</b> - 2750lms	1	10	
	<b>"UFO" LED Hi-Bay's</b>			
20396NLS	100W LED UFO Hi-Bay	1	1	
20397NLS	150W LED UFO Hi-Bay	1	1	
20398NLS	200W LED UFO Hi-Bay	1	1	
20399NLS	240W LED UFO Hi-Bay	1	1	
	<i>Different Shades available</i>			
	<b>LED Hi-Bay's</b>	<b>Inner</b>	<b>Outer</b>	
	<b>Unique Cooling system- Extra Long life</b>			
20081NLS	150W LED Hi-Bay with Flex & plug (Control Gear only)	1	1	
20082NLS	200W LED Hi-Bay with Flex & plug (Control Gear only)	1	1	
20146NLS	45° Aluminium Reflector (To suit above fittings)	1	1	
20147NLS	120° Aluminium Reflector (To suit above fittings)	1	1	
	<b>2 Years Warranty</b>			

**Heavy Duty - Designed & Built for Australian conditions**



**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**



nls Code	"2G SERIES" LED Bollards	Inner	Outer	
20068NLS	Flat Top 10W LED - Black	1	4	
20355NLS	Flat Top 10W LED - Silver	1	4	
20115NLS	Flat Top <b>E27</b> Lamp base - Silver ( <i>Select lamp type required</i> )	1	4	
20119NLS	Dome Top 10W LED - Black	1	4	
20140NLS	Dome Top 10W LED - Silver	1	4	
20123NLS	Dome Top <b>E27</b> Lamp base - Silver ( <i>Select lamp type required</i> )	1	4	
	<b>"Contact our Sales Office for any project pricing"</b>			
	<b>LED Panel Lights</b>			
20365NLS	24W - 295 x 595mm - 3000K, 4000K & 6000K		5	
20378NLS	45W - 595 x 595mm - 3000K, 4000K & 6000K		5	
20379NLS	40W - 295 x 1195mm - 3000K, 4000K & 6000K		5	
20380NLS	72W - 595 x 1195mm - 3000K, 4000K & 6000K		5	
20381NLS	295 x 1195mm Panel Frame for Recess Mounting/Plaster ceiling		5	



**Accessories available for surface mounting or hanging**



*"nls LED lamps are made using the latest technology and components ensuring long life and high performance"*



**National Light Sources Pty Ltd - LED Lamps Fittings**  
**- 20th April, 2021**

**National Light Sources offer the largest range of LED products to suit most applications. We have been developing our products over many years making us a most reliable supplier.**



**National nls**®

